


NOTES REFER TO SHEETS A1, A2 AND A3		Door	Schedu	le					
1 PLANTER			No	minal Si	ze				
(2) SKYLIGHT. [QTY. 2]									R Sidelt
(3) PENDANT LIGHT [QTY. 2]	(0)	Mark	Width	Height	Thickness	Door Ope	eration	L Sidelt Wid	Wid
(4) DOWNLIGHT [QTY. 4]	2	2	8'10"	16'0"	2 3/4"		2	2'0"	2'0"
5 SHOWER LIGHT	D	1	6'0"	8'0"	1"	Complex Sv	wing	N/A	N/A
<ul><li>(6) WALL SCONCE</li><li>(7) MIRROR LIGHT</li></ul>	D	2	2'10"	8'0"	1 3/4"	Swing Simp	ble	N/A	N/A
<ul> <li>8 EXTERIOR LIGHT [QTY. 4]</li> <li>9 WALL OUTLETS [</li></ul>		Wind	low Scho	edule	1		1		
(10) WALL SWITCHES [			Nomir	Nominal Size				Sill	
(12) KITCHEN SINK			0.A.	O.A.			Transom		
(13) KITCHEN FAUCET		Mark	Width	Height	Sach O	peration	Transom Sash		
(14) 4-BURNER STOVE WITH OVEN		Mark	Vildur	Tieigin	Jasiro	peration	Jash		
15 HOOD	6	6	25'8'	' 19'0'	1	6	Y	6	
<ul><li>(16) WALL-MOUNTED TANKLESS WATER HEATER.</li><li>(17) DUAL-FLUSH TOILET</li></ul>	w	1	4'0'	4'0"	Bi-parting C	Casement	-	Timber	
18 BATHROOM SINK 19 BATHROOM FAUCET	w	2	3'0'	' 5'0'	Bi-parting C	Casement	Y	Timber	
20 SHOWER	w	3	3'0'	' 5'0'	Bi-parting C	Casement	Y	Timber	
(21) SOLAR PANELS	w	4	6'0'	' 1'6'	Awning		-	Timber	
	w	5	3'8'	2'0"	Awning		-	Timber	
	w	6	6'0'	' 1'6'	Awning		-	Timber	




2 FRONT ELEVATION Scale: 1/4" = 1'-0"


SIDE ELEVATION Scale: 1/4" = 1'-0"




REAR ELEVATION Scale: 1/4" = 1'-0"




EXTERIOR







Scale: 1/4" = 1'-0"


 $\bigtriangleup$ 



2 SECTION THROUGH LIVING ROOM AND KITCHEN Scale: 1/4" = 1'-0"







OUTLET AND LIGHT SWITCH LOCATIONS Scale: 1/4" = 1'-0"

0

0

囚

4

0

0

XTXTXTX



**Real Possibilities** 

professionals. Photos, artwork, illustrations, design frameworks, floor plans and design technical drawings provided herein are for illustrative purposes only and should not be construed as construction drawings or as a substitute for utilizing the services of a licensed architect as required by authorities in your jurisdiction.

INTERIOR



# Real Possibilities


AARP ACCESSORY DWELLING UNITS

# 525 SF UNIT


All product and company names are trademarks of their respective holders. Use does not imply any affiliation or endorsement.


The content and materials provided herein are for informational purposes only and should not be construed as legal, financial, real estate or other professional advice or as a substitute for seeking such professional counsel. The accuracy of all information, regardless of source, is deemed reliable but not guaranteed; such information, including government-issued forms, are subject to change and should be personally verified through your independent investigation and/or your consultation with appropriate professionals. Photos, artwork, illustrations, design frameworks, floor plans and design technical drawings provided herein are for illustrative purposes only and should not be construed as construction drawings or as a substitute for utilizing the services of a licensed architect as required by authorities in your jurisdiction.

COVER



NOTES REFER TO SHEETS A1, A2 AND A3	Door Schedule									
				Nominal Si	ze					
1 PLANTER										R Sidelt
2) SKYLIGHT. [QTY. 2]		Mark	Width	Height	Thickness	Door Ope	eration	Slab Style	L Sidelt Wid	Wid
3 PENDANT LIGHT [QTY. 2]	4	4	20'	)" 28'0'	5 1/4"		4	4	5'6"	3'0"
4 DOWNLIGHT [QTY. 4]	D	1	6'	)" 7'0'	1 3/8"	Complex S	wing	Panel	2'6"	0"
5 SHOWER LIGHT	D	2	3'	)" 7'0'	1 3/8"	Swing Sim	ple	Glass	N/A	N/A
6 WALL SCONCE 7 MIRROR LIGHT	D		5'	)" 7'0'		Bi-fold Bi-p		Solid	N/A	N/A
(8) EXTERIOR LIGHT [QTY. 4]	D		6'			Slider		Solid	N/A	N/A
9) WALL OUTLETS 😝 1						1				
10 WALL SWITCHES [ 6 ]			Window	Schedul	e					
11) FRIDGE					_	1	1			
12) KITCHEN SINK				Nominal S				Sill		
13 KITCHEN FAUCET				O.A.	0.A.	Sash	Transo			
14 4-BURNER STOVE WITH OVEN			Mark	Width	Height	Operation	Sash	1		
15 HOOD		5	5	15'6"	18'8"	5	Y	5		
16 WALL-MOUNTED TANKLESS WATER HEATER.		w	1	4'0"	6'10"	Bi-parting	Y	Timber		
18 BATHROOM SINK		~~	1							
19 BATHROOM FAUCET		W	2	2'6"	2'6"	Awning	-	Timber		
20 SHOWER		w	3	3'0"	2'0"	Awning	-	Timber		
21) SOLAR PANELS								Tireskor		
22) WASHER /DRYER		w	4	2'6"		Awning	-	Timber		
1					1			1		





professionals. Photos, artwork, illustrations, design frameworks, floor plans and design technical drawings provided herein are for illustrative purposes only and should not be construed as construction drawings or as a substitute for utilizing the services of a licensed architect as required by authorities in your jurisdiction.


government-issued forms, are subject to change and

independent investigation and/or your consultation

should be personally verified through your


with appropriate


EXTERIOR **A2** 



								-
					<u> </u>			-
	-		-	-	-		-	-
		-				-		-
			<u> </u>	<u> </u>	<u> </u>		<u> </u>	-
			<u> </u>		<u> </u>		<u> </u>	-
					-			-
		-	-		-	-	-	-
			<u> </u>		<u> </u>		<u> </u>	-
			<u> </u>	L	L		<u> </u>	-
								_
Ľ		r						
ᅶ								
								1
		-		-		-		-
┥┢	Þ	-	-	-		-	-	-
⊢Ų –	⊢Ų	-	-	<u> </u>	<u> </u>	-	-	-


Ó Í







3

**INTERIOR ELEVATION - LIVING AREA / KITCHEN** Scale: 1/4" = 1'-0"



2









AARP


ACCESSORY DWELLING UNITS

## 800 SF UNIT

All product and company names are trademarks of their respective holders. Use does not imply any affiliation or endorsement.

The content and materials provided herein are for informational purposes only and should not be construed as legal, financial, real estate or other professional advice or as a substitute for seeking such professional counsel. The accuracy of all information, regardless of source, is deemed reliable but not guaranteed; such information, including government-issued forms, are subject to change and should be personally verified through your independent investigation and/or your consultation with appropriate professionals. Photos, artwork, illustrations, design frameworks, floor plans and design technical drawings provided herein are for illustrative purposes only and should not be construed as construction drawings or as a substitute for utilizing the services of a licensed architect as required by authorities in your jurisdiction.

COVER



### ZONING INFORMATION

 LOT INFORMATION

 ADDRESS:
 331 SE 64TH STREET

 LOT & BLOCK:
 069-72-3051

 LOT AREA:
 5500 SF

 ZONE:
 R2

ALLOWABLEADU SIZE:250SF TO 800 SFPROPOSED ADU:800 SFPROPOSED ADU IS THEMAXIMUM ALLOWED.

MAXIMUM LOT COVERAGE:40% MAIN HOUSE: 875 SF PROPOSED COVERAGE (INCLUDE ADU) = 1676 SF (30%) TOTAL BUILDINGS ARE LESS THAN MAX. LOT COVERAGE.


REQUIRED SETBACK SIDE YARD: 5FT REAR: 5FT GARAGE SITES WITHIN REQUIRED SETBACKS

#### **NOTES** REFER TO SHEETS A1, A2 AND A3

-

- PLANTER
   SKYLIGHT, ABOVE SHOWN DASHED [QTY. 2]
- (3) PENDANT LIGHT [QTY. 2]
- (4) DOWNLIGHT [QTY. 4]
- 5 SHOWER LIGHT
- 6 WALL SCONCE (7) MIRROR LIGHT
- (8) EXTERIOR LIGHT [QTY. 4]
- (9) WALL OUTLETS [ ]
- 10 WALL SWITCHES [ -67] (11) FRIDGE
- (12) KITCHEN SINK
- (13) KITCHEN FAUCET
- 14 4-BURNER STOVE WITH OVEN
- (15) HOOD(16) WALL-MOUNTED TANKLESS WATER HEATER.
- (17) DUAL-FLUSH TOILET
- 18 BATHROOM SINK
- 19 BATHROOM FAUCET
- 20 SHOWER OR BATHTUB
- (21) SOLAR PANELS(22) WASHER / DRYER







The content and materials provided herein are for informational purposes only and should not be construed as legal, financial, real estate or other professional advice or as a substitute for seeking such professional counsel. The accuracy of all information, regardless of source, is deemed reliable but not guaranteed; such information, including government-issued forms, are subject to change and should be personally verified through your independent investigation and/or your consultation with appropriate professionals. Photos, artwork, illustrations, design frameworks, floor plans and design technical drawings provided herein are for illustrative purposes only and should not be construed as construction drawings or as a substitute for utilizing the services of a licensed architect as required by authorities in your jurisdiction.




<b>NOTES</b> REFER TO SHEETS A1, A2 AND A3		Dooi	<sup>.</sup> Sched	ule				
			No	minal Siz	20			
1) PLANTER						Door	L Sidelt	R Sidelt
(2) SKYLIGHT, ABOVE SHOWN DASHED [QTY. 2]		Mark	Width	Height	Thickness	Operation	Wid	Wid
(3) PENDANT LIGHT [QTY. 2]	7	7	27'4"		9 5/8"	7	7'0"	7'0"
(4) DOWNLIGHT [QTY. 4]	D	1	6'0"	7'5 1/4"	1 3/8"	Complex S	N/A	N/A
5 SHOWER LIGHT	D	2	2'10"	8'0"	1 3/8"	Swing Sim	N/A	N/A
6 WALL SCONCE	D	3	5'0"	7'0"		Slider	N/A	N/A
(7) MIRROR LIGHT (8) EXTERIOR LIGHT [QTY. 4]	D	4	5'0"	7'0"	1 3/8"	Slider	N/A	N/A
(9) WALL OUTLETS [ $\bigoplus$ ]	D	5	2'10"	8'0"	1 3/8"	Swing Sim	N/A	N/A
(10) WALL SWITCHES [ - 60]	D	6	3'0"	8'0"		Swing Sim	N/A	N/A
(11) FRIDGE	D	7	2'8"	8'0"		Swing Sim	N/A	N/A
12 KITCHEN SINK		•						
13 KITCHEN FAUCET		Win	dow So	hedule				
(14) 4-BURNER STOVE WITH OVEN			1		-		1	
(15) HOOD				al Size	0 h	<b>—</b>	Sill	
(16) WALL-MOUNTED TANKLESS WATER HEATER.		Maul	O.A. Width	O.A. Height	Sash Operatio	Transor n Sash	n	
<ul> <li>(17) DUAL-FLUSH TOILET</li> <li>(18) BATHROOM SINK</li> </ul>		Mark	-		-			
(19) BATHROOM FAUCET		5 5	24'0	" 28'6	"	5 Y	5	
(20) SHOWER OR BATHTUB	N	/ 1	11'0	9'6	Fixed Glas	s Y	Timbe	r
21) SOLAR PANELS	N	2	3'4	." 5'6	Double Hu	ng Y	Timbe	r
(22) WASHER / DRYER	w		3'4	." 5'6	" Double Hu	na Y	Timbe	r
	N N		3'0		" Awning	-	Timber	
	N		3'4		Double Hu		Timbe	





EXTERIOR





licensed architect as required by authorities in your jurisdiction.

> INTERIOR **A3**